

CENTRODAL

POM C FG

Polyoximethylene C
Food Grade

Rods


Diameter mm	Tolerance diameter mm		Stock lengths mm	Weight natural kg/m	Weight black kg/m	Weight ultramarine blue kg/m	Weight traffic blue kg/m
6	+ 0,1	+ 0,6	1000 | 3000	0,045	0,045	0,045	0,045
8	+ 0,1	+ 0,7	1000 | 3000	0,079	0,079	0,079	0,079
10	+ 0,1	+ 0,7	1000 | 3000	0,122	0,122	0,122	0,122
12	+ 0,2	+ 0,8	1000 | 3000	0,176	0,176	0,176	0,176
15	+ 0,2	+ 0,8	1000 | 3000	0,27	0,27	0,27	0,27
16	+ 0,2	+ 0,8	1000 | 3000	0,306	0,306	0,306	0,306
18	+ 0,2	+ 0,8	1000 | 3000	0,385	0,385	0,385	0,385
20	+ 0,2	+ 0,8	1000 | 3000	0,472	0,472	0,472	0,472
22	+ 0,2	+ 1,0	1000 | 3000	0,574	0,574	0,574	0,574
25	+ 0,2	+ 1,0	1000 | 3000	0,737	0,737	0,737	0,737
28	+ 0,2	+ 1,0	1000 | 3000	0,919	0,919	0,919	0,919
30	+ 0,2	+ 1,0	1000 | 3000	1,052	1,052	1,052	1,052
32	+ 0,2	+ 1,2	1000 | 3000	1,202	1,202	1,202	1,202
36	+ 0,2	+ 1,2	1000 | 3000	1,514	1,514	1,514	1,514
40	+ 0,2	+ 1,2	1000 | 3000	1,862	1,862	1,862	1,862
45	+ 0,3	+ 1,3	1000 | 3000	2,358	2,358	2,358	2,358
50	+ 0,3	+ 1,3	1000 | 3000	2,901	2,901	2,901	2,901
56	+ 0,3	+ 1,3	1000 | 3000	3,626	3,626	3,626	3,626
60	+ 0,3	+ 1,6	1000 | 3000	4,176	4,176	4,176	4,176
65	+ 0,3	+ 1,6	1000 | 3000	4,889	4,889	4,889	4,889
70	+ 0,3	+ 1,6	1000 | 3000	5,658	5,658	5,658	5,658
75	+ 0,4	+ 2,0	1000 | 3000	6,527	6,527	6,527	6,527
80	+ 0,4	+ 2,0	1000 | 3000	7,411	7,411	7,411	7,411
85	+ 0,5	+ 2,2	1000 | 3000	8,381	8,381	8,381	8,381
90	+ 0,5	+ 2,2	1000 | 3000	9,38	9,38	9,38	9,38
95	+ 0,6	+ 2,5	1000 | 3000	10,478	10,478	10,478	10,478
100	+ 0,6	+ 2,5	1000 | 3000	11,591	11,591	11,591	11,591
105	+ 0,7	+ 3,0	1000 | 3000	12,833	12,833	12,833	12,833
110	+ 0,7	+ 3,0	1000 | 3000	14,062	14,062	14,062	14,062
115	+ 0,8	+ 3,5	1000 | 3000	15,426	15,426	15,426	15,426
120	+ 0,8	+ 3,5	1000 | 3000	16,771	16,771	16,771	16,771
125	+ 0,8	+ 3,5	1000 | 3000	18,172	18,172	18,172	18,172
130	+ 0,9	+ 3,8	1000 | 3000	19,689	19,689	19,689	19,689
135	+ 0,9	+ 3,8	1000 | 3000	21,205	21,205	21,205	21,205
140	+ 0,9	+ 3,8	1000 | 3000	22,777	22,777	22,777	22,777
150	+ 1,0	+ 4,2	1000 | 3000	26,175	26,175	26,175	26,175
155	+ 1,1	+ 4,5	1000 | 3000	27,989	27,989	27,989	27,989
160	+ 1,1	+ 4,5	1000 | 3000	29,791	29,791	29,791	29,791
165	+ 1,2	+ 5,0	1000 | 3000	31,762	31,762	31,762	31,762
170	+ 1,2	+ 5,0	1000 | 3000	33,68	33,68	33,68	33,68
175	+ 1,2	+ 5,0	1000 | 3000	35,654	35,654	35,654	35,654
180	+ 1,2	+ 5,0	1000 | 3000	37,684	37,684	37,684 NEW	37,684
190	+ 1,3	+ 5,5	1000 | 3000	42,042	42,042	42,042	42,042
200	+ 1,3	+ 5,5	1000 | 3000	46,503	46,503	46,503	46,503
210	+ 1,3	+ 5,8	1000 | 3000	51,259	51,259	51,259	51,259
220	+ 1,3	+ 5,8	1000 | 3000	56,173	56,173	56,173	56,173
225	+ 1,5	+ 6,2	1000 | 3000	58,868	58,868	58,868	58,868
230	+ 1,5	+ 6,2	1000 | 3000	61,468	61,468	61,468	61,468
235	+ 1,5	+ 6,2	1000 | 3000	64,125	64,125	64,125	64,125
250	+ 1,5	+ 6,2	1000 | 3000	72,432	72,432	72,432	72,432
255	+ 1,5	+ 6,6	1000 | 3000	75,43	75,43	75,43	75,43
260	+ 1,5	+ 6,6	1000 | 3000	78,37	78,37	78,37	78,37
280	+ 1,5	+ 6,6	1000 | 3000	90,691	90,691	90,691	90,691
300	+ 1,5	+ 7,5	1000 | 3000	104,22	104,22	104,22	104,22

Additional dimensions are available on request.

Tolerance length: 0% bis +3%

Tolerance width:

Standard item (available from stock)



CENTRODAL

POM C FG

Polyoximethylene C
Food Grade

Tubes


Diameter mm		Tolerances outer diameter mm		Tolerances inner diameter mm		Stock lengths mm	Weight natural kg/m	Weight black kg/m	Weight ultramarine blue kg/m	Weight traffic blue kg/m
20	10	+ 0,4	+ 1,1	- 0,4	- 1,1	1000 | 3000	0,388	0,388	0,388	0,388
20	12	+ 0,4	+ 1,1	- 0,4	- 1,1	1000 | 3000	0,342	0,342	0,342	0,342
20	15	+ 0,4	+ 1,1	- 0,4	- 1,1	1000 | 3000	0,256	0,256	0,256	0,256
22	10	+ 0,4	+ 1,1	- 0,4	- 1,1	1000 | 3000	0,486	0,486	0,486	0,486
22	16	+ 0,4	+ 1,1	- 0,4	- 1,1	1000 | 3000	0,32	0,32	0,32	0,32
25	12	+ 0,4	+ 1,1	- 0,4	- 1,1	1000 | 3000	0,603	0,603	0,603	0,603
25	15	+ 0,4	+ 1,1	- 0,4	- 1,1	1000 | 3000	0,517	0,517	0,517	0,517
25	18	+ 0,4	+ 1,1	- 0,4	- 1,1	1000 | 3000	0,411	0,411	0,411	0,411
28	12	+ 0,4	+ 1,1	- 0,4	- 1,1	1000 | 3000	0,787	0,787	0,787	0,787
28	15	+ 0,4	+ 1,1	- 0,4	- 1,1	1000 | 3000	0,701	0,701	0,701	0,701
28	20	+ 0,4	+ 1,1	- 0,4	- 1,1	1000 | 3000	0,513	0,513	0,513	0,513
30	15	+ 0,4	+ 1,1	- 0,4	- 1,1	1000 | 3000	0,835	0,835	0,835	0,835
30	20	+ 0,4	+ 1,1	- 0,4	- 1,1	1000 | 3000	0,646	0,646	0,646	0,646
32	15	+ 0,6	+ 2,0	- 0,6	- 2	1000 | 3000	1,035	1,035	1,035	1,035
32	20	+ 0,6	+ 2,0	-0,6	- 2	1000 | 3000	0,853	0,853	0,853	0,853
32	25	+ 0,6	+ 2,0	-0,6	- 2	1000 | 3000	0,615	0,615	0,615	0,615
36	12	+ 0,6	+ 2,0	-0,6	- 2	1000 | 3000	1,435	1,435	1,435	1,435
36	15	+ 0,6	+ 2,0	-0,6	- 2	1000 | 3000	1,353	1,353	1,353	1,353
36	17	+ 0,6	+ 2,0	-0,6	- 2	1000 | 3000	1,287	1,287	1,287	1,287
36	20	+ 0,6	+ 2,0	- 0,6	- 2	1000 | 3000	1,171	1,171	1,171	1,171
36	25	+ 0,6	+ 2,0	- 0,6	- 2	1000 | 3000	0,932	0,932	0,932	0,932
40	20	+ 0,6	+ 2,0	- 0,6	- 2	1000 | 3000	1,524	1,524	1,524	1,524
40	25	+ 0,6	+ 2,0	- 0,6	- 2	1000 | 3000	1,286	1,286	1,286	1,286
40	30	+ 0,6	+ 2,0	- 0,6	- 2	1000 | 3000	0,991	0,991	0,991	0,991
45	20	+ 0,6	+ 2,0	- 0,6	- 2	1000 | 3000	2,016	2,016	2,016	2,016
45	25	+ 0,6	+ 2,0	- 0,6	- 2	1000 | 3000	1,778	1,778	1,778	1,778
45	30	+ 0,6	+ 2,0	- 0,6	- 2	1000 | 3000	1,484	1,484	1,484	1,484
45	35	+ 0,6	+ 2,0	- 0,6	- 2	1000 | 3000	1,133	1,133	1,133	1,133
50	20	+ 0,6	+ 2,0	- 0,6	- 2	1000 | 3000	2,565	2,565	2,565	2,565
50	25	+ 0,6	+ 2,0	- 0,6	- 2	1000 | 3000	2,327	2,327	2,327	2,327
50	30	+ 0,6	+ 2,0	- 0,6	- 2	1000 | 3000	2,032	2,032	2,032	2,032
50	40	+ 0,6	+ 2,0	- 0,6	- 2	1000 | 3000	1,275	1,275	1,275	1,275
56	30	+ 0,8	+ 2,5	- 0,8	- 2,5	1000 | 3000	2,832	2,832	2,832	2,832
56	35	+ 0,8	+ 2,5	- 0,8	- 2,5	1000 | 3000	2,486	2,486	2,486	2,486
56	40	+ 0,8	+ 2,5	-0,8	- 2,5	1000 | 3000	2,083	2,083	2,083	2,083
60	30	+ 0,8	+ 2,5	- 0,8	- 2,5	1000 | 3000	3,369	3,369	3,369	3,369
60	40	+ 0,8	+ 2,5	- 0,8	- 2,5	1000 | 3000	2,619	2,619	2,619	2,619
60	50	+ 0,8	+ 2,5	- 0,8	- 2,5	1000 | 3000	1,644	1,644	1,644	1,644
65	40	+ 0,8	+ 3,0	- 0,8	- 3	1000 | 3000	3,399	3,399	3,399	3,399
65	50	+ 0,8	+ 3,0	- 0,8	- 3	1000 | 3000	2,43	2,43	2,43	2,43
70	30	+ 0,8	+ 3,0	- 0,8	- 3	1000 | 3000	4,923	4,923	4,923	4,923
70	40	+ 0,8	+ 3,0	- 0,8	- 3	1000 | 3000	4,179	4,179	4,179	4,179
70	50	+ 0,8	+ 3,0	- 0,8	- 3	1000 | 3000	3,21	3,21	3,21	3,21
70	60	+ 0,8	+ 3,0	- 0,8	- 3	1000 | 3000	2,016	2,016	2,016	2,016
75	50	+ 0,8	+ 3,0	- 0,8	- 3	1000 | 3000	4,046	4,046	4,046	4,046
75	60	+ 0,8	+ 3,0	- 0,8	- 3	1000 | 3000	2,853	2,853	2,853	2,853
80	40	+ 1,2	+ 3,6	- 0,8	- 3	1000 | 3000	5,908	5,908	5,908	5,908
80	50	+ 1,2	+ 3,6	- 0,8	- 3	1000 | 3000	4,939	4,939	4,939	4,939
80	60	+ 1,2	+ 3,6	- 0,8	- 3	1000 | 3000	3,745	3,745	3,745	3,745
90	40	+ 1,2	+ 3,6	- 1,6	- 5	1000 | 3000	8,083	8,083	8,083	8,083
90	50	+ 1,2	+ 3,6	- 1,6	- 5	1000 | 3000	7,145	7,145	7,145	7,145
90	60	+ 1,2	+ 3,6	- 1,6	- 5	1000 | 3000	5,983	5,983	5,983	5,983
90	70	+ 1,2	+ 3,6	- 1,6	- 5	1000 | 3000	4,596	4,596	4,596	4,596

Additional dimensions are available on request.

Tolerance length: 0% bis +3%

Tolerance width:

Standard item (available from stock)



CENTRODAL

POM C FG | Polyoximethylene C Food Grade

Tubes


Diameter mm		Tolerances outer diameter mm		Tolerances inner diameter mm		Stock lengths mm	Weight natural kg/m	Weight black kg/m	Weight ultramarine blue kg/m	Weight traffic blue kg/m
100	40	+ 1,2	+ 3,6	- 1,6	- 5	1000 | 3000	10,272	10,272	10,272	10,272
100	50	+ 1,2	+ 3,6	- 1,6	- 5	1000 | 3000	9,335	9,335	9,335	9,335
100	60	+ 1,2	+ 3,6	- 1,6	- 5	1000 | 3000	8,173	8,173	8,173	8,173
100	70	+ 1,2	+ 3,6	- 1,6	- 5	1000 | 3000	6,786	6,786	6,786	6,786
100	80	+ 1,2	+ 3,6	- 1,6	- 5	1000 | 3000	5,174	5,174	5,174	5,174
110	50	+ 1,2	+ 3,6	- 1,6	- 5	1000 | 3000	11,749	11,749	11,749	11,749
110	60	+ 1,2	+ 3,6	-1,6	- 5	1000 | 3000	10,587	10,587	10,587	10,587
115	70	+ 1,5	+ 4,5	- 2	- 6,5	1000 | 3000	10,792	10,792	10,792	10,792
115	90	+ 1,5	+ 4,5	- 2	- 6,5	1000 | 3000	7,386	7,386	7,386	7,386
125	50	+ 1,5	+ 4,5	- 2	- 6,5	1000 | 3000	16,063	16,063	16,063	16,063
125	80	+ 1,5	+ 4,5	- 2	- 6,5	1000 | 3000	11,966	11,966	11,966	11,966
125	100	+ 1,5	+ 4,5	- 2	- 6,5	1000 | 3000	8,111	8,111	8,111	8,111
140	70	+ 1,5	+ 4,5	- 2	- 6,5	1000 | 3000	18,126	18,126	18,126	18,126
140	80	+ 1,5	+ 4,5	- 2	- 6,5	1000 | 3000	16,535	16,535	16,535	16,535
140	90	+ 1,5	+ 4,5	- 2	- 6,5	1000 | 3000	14,72	14,72	14,72	14,72
140	100	+ 1,5	+ 4,5	- 2	- 6,5	1000 | 3000	12,68	12,68	12,68	12,68
150	80	+ 1,5	+ 4,5	- 2	- 6,5	1000 | 3000	19,863	19,863	19,863	19,863
150	100	+ 1,5	+ 4,5	- 2	- 6,5	1000 | 3000	16,007	16,007	16,007	16,007
150	120	+ 1,5	+ 4,5	- 2,2	- 6,5	1000 | 3000	11,279	11,279	11,279	11,279
160	80	+ 1,8	+ 5,4	- 2,2	- 7,5	1000 | 3000	23,736	23,736	23,736	23,736
160	100	+ 1,8	+ 5,4	- 2,2	- 7,5	1000 | 3000	19,908	19,908	19,908	19,908
180	90	+ 1,8	+ 5,4	- 2,2	- 7,5	1000 | 3000	29,74	29,74	29,74	29,74
180	120	+ 1,8	+ 5,4	- 2,2	- 7,5	1000 | 3000	22,986	22,986	22,986	22,986
180	140	+ 1,8	+ 5,4	- 2,2	- 7,5	1000 | 3000	17,359	17,359	17,359	17,359
200	100	+ 2,0	+ 6,0	- 2,5	- 8,5	1000 | 3000	36,74	36,74	36,74	36,74
200	120	+ 2,0	+ 6,0	- 2,5	- 8,5	1000 | 3000	32,041	32,041	32,041	32,041
200	150	+ 2,0	+ 6,0	- 2,5	- 8,5	1000 | 3000	23,307	23,307	23,307	23,307
200	160	+ 2,0	+ 6,0	- 2,5	- 8,5	1000 | 3000	19,947	19,947	19,947	19,947
225	100	+ 3,0	+ 9,0	- 3	- 12	1000 | 3000	50,362	50,362	50,362	50,362
225	150	+ 3,0	+ 9,0	- 3	- 12	1000 | 3000	37,154	37,154	37,154	37,154
225	175	+ 3,0	+ 9,0	- 3	- 12	1000 | 3000	28,443	28,443	28,443	28,443
250	150	+ 3,0	+ 9,0	- 3	- 12	1000 | 3000	50,839	50,839	50,839	50,839
250	200	+ 3,0	+ 9,0	- 3	- 12	1000 | 3000	32,012	32,012	32,012	32,012
280	150	+ 3,0	+ 11,0	- 3,5	- 14	1000 | 3000	70,159	70,159	70,159	70,159
280	200	+ 3,0	+ 11,0	- 3,5	- 14	1000 | 3000	51,472	51,472	51,472	51,472
300	150	+ 3,0	+ 11,0	- 3,5	- 14	1000 | 3000	83,512	83,512	83,512	83,512
300	200	+ 3,0	+ 11,0	- 3,5	- 14	1000 | 3000	64,825	64,825	64,825	64,825
320	150	+ 3,0	+ 11,0	- 3,5	- 14	1000 | 3000	97,765	97,765	97,765	97,765
320	200	+ 3,0	+ 11,0	- 3,5	- 14	1000 | 3000	79,078	79,078	79,078	79,078
350	200	+ 3,0	+ 11,0	- 3,5	- 14	1000 | 3000	102,143	102,143	102,143	102,143
350	300	+ 3,0	+ 11,0	- 3,5	- 14	1000 | 3000	47,909	47,909	47,909	47,909

Additional dimensions are available on request.

Tolerance length: 0% bis + 3%

Tolerance width:

Standard item (available from stock)



CENTRODAL

POM C FG | Polyoximethylene C Food Grade

Films | Sheets | Plates | Square Bars

Thickness mm	Tolerance thickness mm		Width mm	Stock lengths mm	Weight natural kg/m	Weight black kg/m	Weight ultramarine blue kg/m	Weight traffic blue kg/m
0,5*	-0,1	+ 0,1	1000	1000 | 2000	0,733	0,733	0,733	0,733
0,8*	-0,1	+ 0,1	1000	1000 | 2000	1,174	1,174	1,174	1,174
1	-0,1	+ 0,1	1000	1000 | 2000	1,463	1,463	1,463	1,463
1,5	-0,15	+ 0,15	1000	1000 | 2000	2,195	2,195	2,195	2,195
2	-0,15	+ 0,15	1000	1000 | 2000	2,927	2,927	2,927	2,927
2,5	-0,2	+ 0,2	1000	1000 | 2000	3,658	3,658	3,658	3,658
3	-0,2	+ 0,2	1000	1000 | 2000	4,39	4,39	4,39	4,39
4	-0,2	+ 0,2	1000	1000 | 2000	5,853	5,853	5,853	5,853
5	-0,25	+ 0,25	1000	1000 | 2000	7,317	7,317	7,317	7,317
6	-0,25	+ 0,25	1000	1000 | 2000	8,78	8,78	8,78	8,78
8	+ 0,2	+ 1,1	1000	1000 | 2000	12,658	12,658	12,658	12,658
8	+ 0,2	+ 1,1	500	1000 | 3000	6,329	6,329	6,329	6,329
10	+ 0,2	+ 1,1	1000	1000 | 2000	15,585	15,585	15,585	15,585
10	+ 0,2	+ 1,1	500	1000 | 3000	7,792	7,792	7,792	7,792
10	+ 0,2	+ 1,1	610	1000 | 3000	9,507	9,507	9,507	9,507
12	+ 0,3	+ 1,5	1000	1000 | 2000	18,877	18,877	18,877	18,877
12	+ 0,3	+ 1,5	500	1000 | 3000	9,439	9,439	9,439	9,439
12	+ 0,2	+ 1,1	610	1000 | 3000	11,292	11,292	11,292	11,292
15	+ 0,3	+ 1,5	1000	1000 | 2000	23,267	23,267	23,267	23,267
15	+ 0,3	+ 1,5	500	1000 | 3000	11,634	11,634	11,634	11,634
15	+ 0,3	+ 1,5	610	1000 | 3000	14,193	14,193	14,193	14,193
16	+ 0,3	+ 1,5	1000	1000 | 2000	24,731	24,731	24,731	24,731
16	+ 0,3	+ 1,5	610	1000 | 3000	15,086	15,086	15,086	15,086
20	+ 0,3	+ 1,5	1000	1000 | 2000	30,584	30,584	30,584	30,584
20	+ 0,3	+ 1,5	500	1000 | 3000	15,292	15,292	15,292	15,292
20	+ 0,3	+ 1,5	610	1000 | 3000	18,656	18,656	18,656	18,656
25	+ 0,3	+ 1,5	1000	1000 | 2000	37,901	37,901	37,901	37,901
25	+ 0,3	+ 1,5	500	1000 | 3000	18,95	18,95	18,95	18,95
25	+ 0,3	+ 1,5	610	1000 | 3000	23,119	23,119	23,119	23,119
30	+ 0,5	+ 2,5	1000	1000 | 2000	46,096	46,096	46,096	46,096
30	+ 0,5	+ 2,5	500	1000 | 3000	23,048	23,048	23,048	23,048
30	+ 0,5	+ 2,5	610	1000 | 3000	28,118	28,118	28,118	28,118
35	+ 0,5	+ 2,5	1000	1000 | 2000	53,412	53,412	53,412	53,412
35	+ 0,5	+ 2,5	500	1000 | 3000	26,706	26,706	26,706	26,706
35	+ 0,5	+ 2,5	610	1000 | 3000	32,582	32,582	32,582	32,582
40	+ 0,5	+ 2,5	1000	1000 | 2000	60,729	60,729	60,729	60,729
40	+ 0,5	+ 2,5	500	1000 | 3000	30,365	30,365	30,365	30,365
40	+ 0,5	+ 2,5	610	1000 | 3000	37,045	37,045	37,045	37,045
45	+ 0,5	+ 2,5	1000	1000 | 2000	68,046	68,046	68,046	68,046
45	+ 0,5	+ 2,5	500	1000 | 3000	34,023	34,023	34,023	34,023
45	+ 0,5	+ 2,5	610	1000 | 3000	41,508	41,508	41,508	41,508
50	+ 0,5	+ 2,5	1000	1000 | 2000	75,363	75,363	75,363	75,363
50	+ 0,5	+ 2,5	500	1000 | 3000	37,681	37,681	37,681	37,681
50	+ 0,5	+ 2,5	610	1000 | 3000	45,971	45,971	45,971	45,971
55	+ 0,5	+ 3,5	500	1000 | 3000	41,705	41,705	41,705	41,705
55	+ 0,5	+ 3,5	610	1000 | 3000	50,881	50,881	50,881	50,881
60	+ 0,5	+ 3,5	1000	1000 | 2000	90,728	90,728	90,728	90,728
60	+ 0,5	+ 3,5	500	1000 | 3000	45,364	45,364	45,364	45,364
60	+ 0,5	+ 3,5	610	1000 | 3000	55,344	55,344	55,344	55,344
70	+ 0,5	+ 3,5	1000	1000 | 2000	105,361	105,361	105,361	105,361
70	+ 0,5	+ 3,5	500	1000 | 3000	52,681	52,681	52,681	52,681
70	+ 0,5	+ 3,5	610	1000 | 3000	64,27	64,27	64,27	64,27
80	+ 0,5	+ 5	1000	1000 | 2000	121,092	121,092	121,092	121,092
80	+ 0,5	+ 5	610	1000 | 3000	73,866	73,866	73,866	73,866


Die PlatesWidth 1220 mm und Additional dimensions are available on request.

Tolerance length: 0% bis + 3%

Tolerance width: + 0,5% bis + 4%

* Continuous rolls (ID 76 mm)

Standard item (available from stock)



CENTRODAL

POM C FG | Polyoximethylene C Food Grade

Films | Sheets | Plates | Square Bars

Thick-ness mm	Tolerance thickness mm		Width mm	Stock lengths mm	Weight natural kg/m	Weight black kg/m	Weight ultramarine blue kg/m	Weight traffic blue kg/m
90	+ 0,5	+ 5	1000	1000 | 2000	135,726	135,726	135,726	135,726
90	+ 0,5	+ 5	610	1000 | 3000	82,793	82,793	82,793	82,793
100	+ 0,5	+ 5	1000	1000 | 2000	150,359	150,359	150,359	150,359
100	+ 0,5	+ 5	610	1000 | 3000	91,719	91,719	91,719	91,719
120	+ 0,5	+ 6	320	1000 | 3000	57,715	57,715	57,715	57,715
300	+ 0,5	+ 12	300	1000	134,336	134,336	134,336	134,336

PRODUCT INFORMATION

Trade name:	Centrodal	Shapes:	Rods, Tubes, Films, Sheets, Plates, Square Bars
Abbreviation:	POM C FG		
Designation:	Polyoximethylene C Food Grade, according to EU-Regulation 10/2011	Colour:	Natural, Ultramarine blue, Traffic blue
		Density:	1,41 g/cm^3

The sheet width 1220 mm and additional dimensions are available on request.

Tolerance length: 0% bis + 3%

Tolerance width: + 0,5% bis + 4%

Standard item (available from stock)